

RoTipBot: Robotic Handling of Thin and Flexible Objects using Rotatable Tactile Sensors

Jiaqi Jiang*, Xuyang Zhang*, Daniel Fernandes Gomes, Thanh-Toan Do and Shan Luo

Abstract—This work introduces RoTipBot, a novel robotic system for handling thin, flexible objects. Different from previous works that are limited to singulating them using suction cups or soft grippers, RoTipBot can count multiple layers and then grasp them simultaneously in a single grasp closure. Specifically, we first develop a vision-based tactile sensor named RoTip that can rotate and sense contact information around its tip. Equipped with two RoTip sensors, RoTipBot rolls and feeds multiple layers of thin, flexible objects into the centre between its fingers, enabling effective grasping. Moreover, we design a tactile-based grasping strategy that uses RoTip’s sensing ability to ensure both fingers maintain secure contact with the object while accurately counting the number of fed objects. The results show that RoTipBot not only achieves a higher success rate but also grasps and counts multiple layers simultaneously. The success of RoTipBot paves the way for future research in object manipulation using mobilised tactile sensors.

I. INTRODUCTION

Thin and flexible objects pose two main challenges for assistive robots. Their thinness often leads to overlapping layers, making it difficult for cameras to perceive underlying states, resulting in incomplete and noisy data. Additionally, their deformability demands dexterity and compliance in robotic grippers. Existing approaches often bypass these challenges. Some assume known object positions [1], while others use costly force/torque sensors to mitigate visual noise [2], increasing overall cost. To address deformability, methods like suction [3], [4] and two-finger soft grippers [2], [5], [6] are employed. However, these allow grasping only one page per closure, limiting efficiency. Suction cups struggle with air gaps, preventing vacuum seals, while two-finger grippers lack the dexterity for multi-page grasping, which requires counting layers before grasping them simultaneously.

To tackle these challenges, we propose *RoTipBot*, a robotic system using rotatable tactile sensors to detect contact, feed multiple layers to the center, and facilitate grasping and counting. We introduce *RoTip* [7], a vision-based tactile sensor that senses the entire fingertip area and actively rotates. As shown in Fig.1-(a), its sensing capability reduces visual noise and ensures reliable contact, while its rotational motion adds




Fig. 1. (a) A demonstration of RoTipBot. The tactile sensors ensure good contact with objects, while the rotation capability feeds multiple layers of thin, flexible objects into the centre for grasping and counting. Different transparencies of the paper represent states at different time steps. (b) Snapshots of the feeding process for multiple print papers. (c-e) Sketches comparing RoTipBot to approaches based on suction cups and soft grippers. RoTipBot can count multiple layers and then grasp them simultaneously in a single grasp closure, whereas the other methods cannot.

dexterity. A segmentation-projection model extracts contact areas and surface planes for grasp planning. As shown in Fig.1-(b), RoTipBot’s passive finger holds the object while the active finger rotates to gather layers. The fingers continuously adjust to stack thickness, maintaining contact and ensuring accurate multi-layer grasping. Tactile sensing further enables precise paper counting.

II. ROTIPBOT SYSTEM

We introduce RoTipBot, an approach that uses the RoTip rotatable tactile sensors to count multiple layers and then grasp them simultaneously in a single grasp closure. RoTipBot uses a two-finger gripper to handle thin and flexible objects: one **passive** finger holds the object, while the other **active** finger rotates to feed multiple sheets into the centre between the two fingers, allowing them to be grasped all at once.

RoTipBot follows a structured process for handling thin and flexible objects, as shown in Fig. 2. First, during the vision-

Jiaqi Jiang is with the School of Aerospace Engineering, Beijing Institute of Technology, Beijing 100081, China, and was with the Department of Engineering, King’s College London, London WC2R 2LS, U.K. Email: jiaqi.jiang@ieee.org.

Xuyang Zhang, Daniel Fernandes Gomes and Shan Luo are with the Department of Engineering, King’s College London, London WC2R 2LS, U.K. Emails: {xuyang.zhang, danfergo, shan.luo}@kcl.ac.uk.

Thanh-Toan Do is with the Department of Data Science and AI, Monash University, Clayton, VIC 3800, Australia. E-mail: toan.do@monash.edu.

*represents equal contributions.




Fig. 2. An overview of our RoTipBot for thin and flexible handling. (a) Vision-Based Grasping Generation. (b) Tactile-based Adjustment for Two-finger Sufficient Contact. (c) Continuous Adjustment and Tactile Counting. (d) Object Grasping.

based grasping generation stage, an RGB-D image captured by a camera is used to generate grasp proposals, guiding the robot to make contact and grasp the object. Next, in the tactile-based adjustment for two-finger sufficient contact stage, RoTip's sensing capabilities compensate for visual perception noise by refining the end-effector's position. Once both RoTip sensors make contact with the object, the end-effector rotates around its x -axis to achieve an optimal inclination for feeding and grasping. Then, in the continuous adjustment and tactile counting stage, a continuous pose adjustment strategy ensures stable two-finger contact while feeding multiple thin, flexible layers. Simultaneously, tactile sensing is employed to count the number of layers being fed, a process known as tactile counting. Finally, in the object grasping stage, the gripper closes to securely pick up the objects.

Tactile sensing is also employed to count the number of fed pages, a process referred to as *tactile counting*, as shown in Fig. 3. A YOLOv11 model is used to detect the paper boundaries including edges and corners during the feeding process of multiple thin and flexible sheets. The detection focuses on the edges of the paper to track movement. When the centre of a detected edge crosses a predefined threshold, the paper is marked as "held" for rolling by the RoTipBot. The count increases by 1 when a new edge appears, indicating a new paper is being rolled by the sensor.

Tactile-based object counting could be highly beneficial for tasks such as flipping to a specific page range in a book by detecting the number of pages through touch. This method relies on physical feedback, making it less dependent on lighting conditions, which provides a significant advantage in environments where book indices are obscured or unavailable.




Fig. 3. Demonstration of page counting with tactile feedback. (a) The vision snapshots during feeding the stacked papers; (b) The paper edges can be captured in the tactile images to count the number of fed papers. (c) The zoomed-in contact areas in tactile images.

III. CONCLUSION

In this paper, we propose RoTipBot, a novel approach for handling thin and flexible objects using rotatable tactile sensors. It is the first approach that can count multiple layers and then grasp them simultaneously in a single grasp closure.

REFERENCES

- [1] Yi Zheng, Filipe Fernandes Veiga, Jan Peters, and Veronica J Santos. Autonomous learning of page flipping movements via tactile feedback. *IEEE Trans. Robot.*, 38(5):2734–2749, 2022.
- [2] Chao Zhao, Chunli Jiang, Junhao Cai, Michael Yu Wang, Hongyu Yu, and Qifeng Chen. Flipbot: Learning continuous paper flipping via coarse-to-fine exteroceptive-proprioceptive exploration. In *Proc. IEEE Int. Conf. Robot. Autom.*, pages 10282–10288, 2023.
- [3] Anastasia Koivikko, Dirk-Michael Drotlef, Cem Balda Dayan, Veikko Sariola, and Metin Sitti. 3d-printed pneumatically controlled soft suction cups for gripping fragile, small, and rough objects. *Adv. Intell. Syst.*, 3(9):2100034, 2021.
- [4] Lillian Chin, Felipe Barscevicius, Jeffrey Lipton, and Daniela Rus. Multiplexed manipulation: Versatile multimodal grasping via a hybrid soft gripper. In *Proc. IEEE Int. Conf. Robot. Autom.*, pages 8949–8955, 2020.
- [5] Chunli Jiang, Abdullah Nazir, Ghasem Abbasnejad, and Jungwon Seo. Dynamic flex-and-flip manipulation of deformable linear objects. In *Proc. IEEE/RSJ Int. Conf. Intell. Robots Syst.*, pages 3158–3163, 2019.
- [6] Clark B Teeple, Justin Werfel, and Robert J Wood. Multi-dimensional compliance of soft grippers enables gentle interaction with thin, flexible objects. In *Proc. IEEE Int. Conf. Robot. Autom.*, pages 728–734, 2022.
- [7] Xuyang Zhang, Jiaqi Jiang, and Shan Luo. Rotip: A finger-shaped tactile sensor with active rotation. *arXiv preprint arXiv:2410.01085*, 2024.